


# **Keyc•de** LED WALL BUNDLES



# **Indoor Entry LED**

\$50,000 - \$60,000

#### Includes:

- LED Panel (10ft, 2.5mm)
- Control & Processor
- Mounting Systems
- Connectivity
- Installation



## **Indoor Pro LED**

\$110,000 - \$135,000+

#### Includes:

- LED Panel (12ft, 1.8mm)
- Pro Control & Processor
- Mounting Systems
- Connectivity
- Installation



#### **Outdoor LED**

\$80,000-\$100,000+

#### Includes:

- LED Panel (16ft, 3.9mm)
- Outdoor Control & Processor
- Weatherproof Mounting
- Connectivity
- Installation



















## A TRUSTED NATIONWIDE SYSTEMS INTEGRATOR



**Indoor Entry LED** \$50,000 - \$60,000

#### What's included (typical spec):

- LED Panels: Absen NX2.5 (2.5 mm) or Unilumin UPanel 2.5 ~10 ft  $\times$  5.6 ft ( $\approx$  17 m<sup>2</sup>)
- Processor: NovaStar VX1000 LED controller
- Mounting System: Fixed or front-service wall frame
- Control Integration: Extron or Crestron touchpanel presets for simple operation
- Power & Cabling: Complete structured cabling, power supplies, and signal routing
- Installation & Calibration: Pixel calibration, color matching, alignment, and QA
- Warranty & Support: 3–5 year hardware warranty and service plan




















## A TRUSTED NATIONWIDE SYSTEMS INTEGRATOR



**Indoor Pro LED** \$110,000 - \$135,000+

#### What's included (typical spec):

- LED Panels: Absen KLCOB or Planar MGP 1.8 ~12 ft × 7 ft (≈ 25 m²)
- Processor: Dual NovaStar MCTRL4K or Brompton Tessera S8 for 4K workflows
- Mounting System: Precision adjustable frame, front or rear service access
- Control Integration: Crestron/Extron control with user presets for multi-source switching
- Power & Cabling: Redundant distribution, certified data/power harnessing
- Installation & Calibration: Onsite alignment, multi-zone calibration, HDR color tuning
- Warranty & Support: 5-year warranty with advanced spare module kit



















## A TRUSTED NATIONWIDE SYSTEMS INTEGRATOR



**Outdoor LED** \$80,000-\$100,000+

#### What's included (typical spec):

- LED Panels: Absen A Series P3.9 / Unilumin Uslim Outdoor ~16 ft × 9 ft (≈ 40 m²)
- Processor: Outdoor-rated NovaStar Taurus controller
- Mounting System: Weatherproof frame, wind-load certified structure
- Control Integration: Crestron or Extron remote management interface
- Power & Cabling: Outdoor-grade waterproof cables, surge protection, UPS backup
- Installation & Calibration: Weather-sealed connectors, outdoor brightness calibration
- Warranty & Support: 5-year outdoor warranty, cleaning and service plan




















# BOOK YOUR FREE CONSULTATION TODAY + UNLOCK THE BEST PRICING ON YOUR PROJECT www.keycodemedia.com

